



KINO FLO[®]
Lighting Systems

4BANK



NEW 2015
Universal VAC
Honeycomb Louvers



4Bank & 4Bank DMX



Kino Flo reintroduces its award-winning 4Bank portable lighting systems with new ballasts and new honeycomb louvers. The 4Bank can be used anywhere in the world with its new universal voltage regulation from 100-240VAC. The 4Bank fixture is brighter than a 1,000W softlight, yet draws only 2.6A (120VAC), 50% less than the previous model! With new graphics, new color coded connectors and new power switches, the lighter weight ballast still has the same classic features: flicker-free, instant-on, dead quiet operation, individual light control and HO/Standard switching. Color temperature doesn't shift when light levels change. The newly designed 4Bank will continue to remain a favorite among lighting professionals. Features include:

The 4-Lamp Fixture

- Built-in Barndoors
- Removable Lamp Harness and Reflector
- Bracket for Honeycomb Louvers
- Twist-on, locking Center Mount
- True Match® lamps

The High Output Ballast

- 4Bank & 4Bank DMX
- Universal input 100-240VAC
- HO/Standard switching
- Individual lamp control
- Auto terminate for DMX
- Flicker-free, remote operation
- Instant-on, dead quiet

▼ 4Bank Systems



CFX-484
4ft 4Bank Fixture



CFX-244
2ft 4Bank Fixture



MTP-KF41
Kino 41K Mount
w/ 3/8" Pin (10mm)



X16-25
4Bank Extension, 25ft




BAL-457-120U
4Bank DMX Ballast, Univ 120U



BAL-457-230U
4Bank DMX Ballast, Univ 230U



BAL-427-120U
4Bank Ballast, Univ 120U



BAL-427-230U
4Bank Ballast, Univ 230U

▼ Photometrics

4ft 4Bank	FC	531	173	84	49	32	22.5	17	13	10.5	8.5
	Feet	2	4	6	8	10	12	14	16	18	20
2ft 4Bank	FC	232	65	29	17	11	7.5	5.5	4.5	3.5	3
	Feet	2	4	6	8	10	12	14	16	18	20

4ft 4Bank	LUX	7407	2599	1303	775	503	356	267	208	168	135
	Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5
2ft 4Bank	LUX	3413	966	456	265	170	119	88	69	55	44
	Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5

▼ Fixture Specifications

Fixture	Lamps	Lamp Type	Dimensions	Weight w/ Lamps
4ft 4Bank	4	F75/T12	52 x 13 x 3.5" w/ 6.5" barndoors (132 x 33 x 9cm w/ 16.5cm barndoors)	11.5 lb (5.2kg)
2ft 4Bank	4	F40/T12	27 x 13 x 3.5" w/ 6.5" barndoors (69 x 33 x 9cm w/ 16.5cm barndoors)	7.5 lb (3.4kg)

▼ Ballast Specifications

Ballast	Input Voltage	Output Frequency	Amperage	Lamp Switching	Output Switching	Dimensions	Weight
4Bank	100-240VAC 50/60Hz	25kHz	F75/2.6A, F40/2.5A F30/1.6A, F20/0.9A	1-4	4ft/2ft	13 x 9.5 x 3" (33 x 24 x 7.6cm)	4.9 lb (2.2kg)
4Bank	240-100VAC 50/60Hz	25kHz	F75/1.4A, F40/1.3A F30/0.8A, F20/0.7A	1-4	4ft/2ft	13 x 9.5 x 3" (33 x 24 x 7.6cm)	4.9 lb (2.2kg)
4Bank DMX	100-240VAC 50/60Hz	25kHz	F75/2.6A, F40/2.5A F30/1.6A, F20/0.9A	1-4	4ft/2ft	12 x 11 x 3" (30.5 x 28 x 7.6cm)	5.3 lb (2.4kg)
4Bank DMX	240-100VAC 50/60Hz	25kHz	F75/1.4A, F40/1.3A F30/0.8A, F20/0.7A	1-4	4ft/2ft	12 x 11 x 3" (30.5 x 28 x 7.6cm)	5.3 lb (2.4kg)

▼ Details



▼ Gallery



Jan-Malle Enning/Michel Lohmann



Elevated Media Productions

▼ 4Bank Accessories

	DFS-4804 4ft 4Bank Flozier, Full		LVR-K490-P 4ft 4Bank Louver/HP, 90°
	DFS-4804-H 4ft 4Bank Flozier, Half		LVR-K460-P 4ft 4Bank Louver/HP, 60°
	DFS-D4 2ft 4Bank Flozier, Full		LVR-K290P 2ft 4Bank Louver/HP, 90°
	DFS-D4-H 2ft 4Bank Flozier, Half		LVR-K260P 2ft 4Bank Louver/HP, 60°
	MTP-BF41 Kino 41K Mount w/ Baby Receiver (16mm)		X16-12 4Bank Extension, 12ft
	MTP-BF41S Kino 41K Mount w/ Baby Short (16mm)		X16-A4 4Bank to Single Splitter
			X16-A9 4Bank to Double Splitter

▼ 4Bank Cases

	BAG-401 4ft 4Bank Soft Case		KAS-GAF2 Gaffer Ship Case (2-Unit)
	BAG-201 2ft 4Bank Soft Case		KAS-INT2 Interview Ship Case (2-Unit)
	KAS-54L 4ft Fixture Ship Case, Large		KAS-INT3 Interview Ship Case (3-Unit)
	KAS-54S 4ft Fixture Ship Case, Small		KAS-C46 6-Lamp Carry Case (4ft)
	KAS-48 4ft Lamp Ship Case		KAS-C26 6-Lamp Carry Case (2ft)
	INS-L6 6-Lamp Foam Pad		KAS-KFC Ballast and Cable Crate w/ Lid
	INS-L4 4-Lamp Foam Pad		

4Bank Kits

▼ 4Bank/ Gaffer Kits



KIT-2GF-120U
Gaffer Kit, Univ 120U (2-Unit)

KIT-2GF-230U
Gaffer Kit, Univ 230U (2-Unit)

Contents	Dimensions
2 4ft 4Bank System w/ MTP-BF41 Mount	56.5 x 13 x 21.5" (143.5 x 33 x 55cm)
2 Lamp Case	Weight 72.5 lb (33kg)
1 Gaffer Ship Case	



KIT-2GF-X120U
Gaffer DMX Kit, Univ 120U (2-Unit)

KIT-2GF-X230U
Gaffer DMX Kit, Univ 230U (2-Unit)

Contents	Dimensions
2 4ft 4Bank DMX System w/ MTP-BF41 Mount	56.5 x 13 x 21.5" (143.5 x 33 x 55cm)
2 Lamp Case	Weight 73.5 lb (33.5kg)
1 Gaffer Ship Case	



KIT-484B-120U
4ft 4Bank Kit, Univ 120U (1-Unit) w/ Soft Case

KIT-484B-230U
4ft 4Bank Kit, Univ 230U (1-Unit) w/ Soft Case

Contents	Dimensions
1 4ft 4Bank System w/ MTP-BF41 Mount	55 x 8 x 19.5" (140 x 20.5 x 49.5cm)
1 Lamp Case	Weight 25.5 lb (12kg)
1 Soft Case	

▼ 4Bank/ Interview Kits



KIT-2NT-120U
Interview Kit, Univ 120U (2-Unit)

KIT-2NT-230U
Interview Kit, Univ 230U (2-Unit)

Contents	Dimensions
2 2ft 4Bank System w/ MTP-BF41 Mount	35.5 x 13 x 22" (90 x 33 x 56cm)
2 Lamp Case	Weight 56.5 lb (26kg)
1 Interview Ship Case	



KIT-2NT-X120U
Interview DMX Kit, Univ 120U (2-Unit)

KIT-2NT-X230U
Interview DMX Kit, Univ 230U (2-Unit)

Contents	Dimensions
2 2ft 4Bank DMX System w/ MTP-BF41 Mount	35.5 x 13 x 22" (90 x 33 x 56cm)
2 Lamp Case	Weight 57.5 lb (26kg)
1 Interview Ship Case	



KIT-244B-120U
2ft 4Bank Kit, Univ 120U (1-Unit) w/ Soft Case

KIT-244B-230U
2ft 4Bank Kit, Univ 230U (1-Unit) w/ Soft Case

Contents	Dimensions
1 2ft 4Bank System w/ MTP-BF41 Mount	28.5 x 7.5 x 20" (72.5 x 19 x 51cm)
1 Lamp Case	Weight 20 lb (9kg)
1 Soft Case	

▼ Interview Kit (3-Unit)



KIT-3NT-120U
Interview Kit, Univ 120U (3-Unit)

KIT-3NT-230U
Interview Kit, Univ 230U (3-Unit)

Contents	Dimensions
1 2ft 4Bank System w/ MTP-BF41 Mount	35.5 x 13 x 23" (90 x 33 x 58.5cm)
2 2ft Double System w/ MTP-BF41 Mount	Weight 63 lb (29kg)
2 Lamp Case	
1 Interview Ship Case	



KINO FLO[®]
Lighting Systems

2840 North Hollywood Way, Burbank, CA 91505
TEL: +1 818-767-6528 FAX: +1 818-767-7517

www.kinoflo.com

No. 3110081 Rev B