




KINO FLO[®]
Lighting Systems

celeb[®] 201 LED



Celeb® 201 DMX LED



The Celeb® 201 DMX LED fixture features the cool, energy efficient qualities that lighting professionals have come to expect from Kino Flo. The Celeb boasts new technical innovations that make it an ideal professional image tool: a dial-in variable color temperature control, full-range dimming and programmable 2700K to 6500K presets and DMX wireless link capability.

Like the award-winning line of portable Kino Flos, the Celeb 201 reproduces color faithfully, beautifully on HD or film, in the studio or on location. The Celeb's 100 watts of soft, lustrous white light doesn't flicker or shift color temperature when dimmed. Light levels do not change when selecting Kelvin settings. With a Lumen Radio transmitter, the Celeb 201 can operate on wireless DMX. The trim, lightweight fixture runs on universal input from 100VAC-240VAC or 24VDC and needs only one amp (120VAC) to produce more lumens than a 750W tungsten soft light.

With new technology, the Celeb's cost savings from low energy and long lamp life continues Kino Flo's reputation as an environmentally friendly lighting company. The Celeb 201 comes complete with molded accessory holders, removable gel frame, focusing louver and is available in Center Mount, Yoke Mount and Pole-Op.

Features include:

- Kelvin presets & custom settings between 2700K-6500K
- Universal Input 100-240VAC or 24VDC
- Onboard and DMX dimming w/ Auto Terminate
- DMX wireless link (Lumen Radio)
- Flicker-free, dead quiet operation
- Gel Frame and Honeycomb Louver
- Center Mount, Yoke Mount and Pole-Op

▼ Celeb 201 DMX LED Center




CEL-201C-120U
Celeb 201 DMX
Center Mount, Univ 120U

CEL-201C-230U
Celeb 201 DMX
Center Mount, Univ 230U



GFR-CE2
Celeb 201 Gel Frame
(Included)



LVR-CE290-P
Celeb 201 Louver/HP, 90°
(Included)



MTP-LB
Kino 41 Lollipop w/
Baby Receiver (16mm)
(Included)

▼ Celeb 201 DMX LED Yoke



CEL-201Y-120U
Celeb 201 DMX
Yoke Mount, Univ 120U

CEL-201Y-230U
Celeb 201 DMX
Yoke Mount, Univ 230U




CEL-201P-120U
Celeb 201 DMX
Pole-Op, Univ 120U

CEL-201P-230U
Celeb 201 DMX
Pole-Op, Univ 230U



GFR-CE2
Celeb 201 Gel Frame
(Included)



LVR-CE290-P
Celeb 201 Louver/HP, 90°
(Included)

▼ Photometrics

FC	623	175	79	45	29	20	15	11	9	7
Feet	2	4	6	8	10	12	14	16	18	20
Celeb 201										
LUX	9340	2740	1240	709	453	316	233	180	143	116
Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5

▼ Fixture Specifications

Fixture	Input Voltage VAC	Amps VAC	Input Voltage VDC	Amps 24VDC	Kelvin Range	Dimming Range	Dimensions	Weight
Celeb 201 DMX Center	100-240VAC, 50/60Hz, 100W	0.96A	18-28VDC, 100W	4A	2700-6500	100%-1%	24 x 14 x 5" (61 x 35.5 x 12.7cm)	15 lb (6.8kg)
Celeb 201 DMX Yoke	100-240VAC, 50/60Hz, 100W	0.96A	18-28VDC, 100W	4A	2700-6500	100%-1%	24 x 14 x 5" (61 x 35.5 x 12.7cm)	15 lb (6.8kg)
Celeb 201 DMX Yoke	100-240VAC, 50/60Hz, 100W	0.96A	18-28VDC, 100W	4A	2700-6500	100%-1%	28.5 x 16.5 x 5" (72.3 x 42 x 12.7cm)	16 lb (7.3kg)
Celeb 201 DMX Yoke	240-100VAC, 50/60Hz, 100W	0.54A	18-28VDC, 100W	4A	2700-6500	100%-1%	28.5 x 16.5 x 5" (72.3 x 42 x 12.7cm)	16 lb (7.3kg)

▼ Details



Den Lennie



Richard Grundy



Stuart Harris/Bernie Prentice

▼ Celeb 201 DMX LED Kit



KIT-C201-120U

Celeb 201 DMX Center Mount Kit, Univ 120U

KIT-C201-230U

Celeb 201 DMX Center Mount Kit, Univ 230U

Contents

- 1 Celeb 201
- 1 Flight Case

Dimensions

28 x 10 x 17"
(71.1 x 25.4 x 43.1cm)

Weight

31 lb (14kg)

▼ Celeb 201 DMX LED Accessories / Cases

	BRD-CE2 Celeb 201 Barndoors (Set of 4)		7010044 Celeb 201 Center Mount Assembly
	LVR-CE260-P Celeb 201 Louver/HP, 60°		7010032 Celeb 201 Yoke Assembly
	MTP-H80 Junior Pin Assembly for Yoke (28mm)		7010038 Celeb 201 Pole-Op Assembly
	MTP-B41F Kino Offset w/ Baby Receiver (16mm)		KAS-CE2 Celeb 201 Flight Case
	STD-M30 Medium Duty, 3-Rise 30"		KAS-CE2-C Celeb 201 Travel Case
	STD-M36 Medium Duty, 3-Rise 36"		



Kino Flo Lighting Systems
2840 North Hollywood Way
Burbank, CA 91505

+1 818 767 6528 voice +1 818 767 7517 fax

www.kinoflo.com

© Kino Flo Celeb 201 DMX LED
No. 3110089